



DEH - DE TRANSPORT TRAILER 8th Edition II

DEH500 / DEH600 / DEH700 / DEH800

DANISH DESIGN

DANISH MANUFACTURED

DANISH QUALITY

JYFA
- A GOOD DANISH PRODUCT


DEVELOPED IN CORPORATION WITH TÜV

The trailer was specially developed for the German market and tested by TÜV for up to 40 km/h on German roads. Interior width of 2.40 meters and lengths of 5, 6, 7, or 8 meters

The hydraulic height adjustment function offers many advantages to make your daily work effort-less. During loading or unloading, you can lower the floor, allowing the animals to walk straight into the trailer. After loading, the trailer is raised back up. As well as giving you and the animals a stress-free loading and unloading experience, this hydraulic height function also gives you the advantage of using the trailer for fodder when lowered. This gives the cattle and calves a chance to get confident with the trailer before transport.

STANDARD EQUIPMENT

- ✓ Roof
- ✓ LED rear lights
- ✓ Double gates in the center of the trailer
- ✓ Hydraulic
- ✓ Fully galvanized
- ✓ Brakes (air hydraulic brakes)
- ✓ Handbrake
- ✓ Galvanized drawbar
- ✓ Double doors at the rear end, with a double lock system
- ✓ Emergency Exit
- ✓ 12 mm black recycled plastic plates on all sides
- ✓ Galvanized non-slip tear plate floor
- ✓ Ø40 mm drawbar eye
- ✓ Bottom sledge
- ✓ Support leg



Article no 31600



Article no 31600

DESIGNATION	DEH500	DEH600	DEH700	DEH800
ARTICLE NAME	5M DE Transport Trailer	6M DE Transport Trailer	7M DE Transport Trailer	8M DE Transport Trailer
ARTICLE NO	31500	31600	31700	31800
TRAILER BOX LENGTH	5 m	6 m	7 m	8 m
TOTAL LENGTH INCLUDING DRAWBAR	6,4 m	7,4 m	8,4 m	9,4 m
INNER TRAILER WIDTH	2,40 m	2,40 m	2,40 m <td 2,40 m	
INNER TRAILER WIDTH FROM WHEEL CASE TO WHEEL CASE	1,65 m	1,65 m	1,61 m	1,61 m
EXTERNAL TRAILER WIDTH	2,55 m	2,55 m	2,55 m	2,55 m
FLOOR SPACE	10,7 m ²	13,1 m ²	15,5 m ²	17,9 m ²
NUMBER OF ANIMALS	Approx. 6-8	Approx. 8-10	Approx. 9-12	Approx. 11-14
LOADING HEIGHT	13 cm	13 cm	13 cm	13 cm
WHEEL SIZE	355/60 R18	355/60 R18	385/55 R19,5	385/55 R19,5





Please note! The number of animals allowed during transport depends on animal size, breed, and on the current national regulations. The allowed number of animals mentioned in this brochure, is based on the current Danish National Regulations for Animal Transport, and must therefore be seen as guide-lines.

JYFA reserves the right for any printing errors, items out of stock or discontinued items.



JYFA Maskinværksted

Quality | Durability | Functionality

Sjællandsvej 8A • DK-7330 Brande • www.jyfa.dk • Tel. + 45 97 18 35 65 • mail@jyfa.dk